


REV	DESCRIPTION	BY	CHK	DATE	ECN
A	ENGINEERING RELEASE	SPH	MJP	6-21-00	36181



NOTES:
 1. 135.6 N·m [1200 lbf·in]
 MAX INPUT TORQUE

G H

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES <input type="checkbox"/> MILLIMETERS <input checked="" type="checkbox"/>	DRAWING BASED ON ANSI Y14.5M-1982	
	THE REPRODUCTION, DISTRIBUTION, AND UTILIZATION OF THIS DOCUMENT, AS WELL AS THE COMMUNICATION OF ITS CONTENTS TO OTHERS WITHOUT EXPLICIT AUTHORIZATION IS PROHIBITED. OFFENDERS WILL BE HELD LIABLE FOR THE PAYMENT OF DAMAGES. ALL RIGHTS RESERVED IN THE EVENT OF THE GRANT OF A PATENT, UTILITY MODEL, OR DESIGN. (PER ISO 16016)	
TOLERANCES .X ± --- .XX ± REF .XXX ± ONLY < ± ---	DRAWN BY/DATE SPH 11-21-00 CHECKED BY/DATE MJP 12-5-00 ENGRG BY/DATE NJA 12-5-00 METALLURGY --- BY/DATE	MATERIAL/HEAT TREAT TITLE INPUT SHAFT INSTALLATION
UNSPECIFIED RADII ARE --- UNSPECIFIED DRAFT ANGLES ARE ---	 THIRD ANGLE PROJECTION	MICROINCHES <input type="checkbox"/> MICROMETERS <input type="checkbox"/> NUMBER A-2188-001
DRAWING FORMAT CADD <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/>	DO NOT SCALE	ARITHMETICAL AVERAGE <input checked="" type="checkbox"/> SCALE 1/1 SHEET 1 OF 1

